JAYAWANT SHIKSHAN PRASARAK MANDAL's
JAYAWANTRAO SAWANT INSTITUTE
OF MANAGEMENT & RESEARCH, PUNE
(Approved by A.I.C.T.E. New Delhi, Govt. of Maha. Afiliated to SPPU University of Pune.)
S.No. 58, Indrayani Nagar, Handewadi Road, Hadapsar Pune-28.
Ph.:020-26970882 TeleFax: 020-26970913
Email: director jsimr@jspm.edu.in | Website: www. jspmjsimr.edu.in

JSIMR Wings for Success!

Prof. Dr. Tanaji Sawant
B.E.(Elect.), PGDM,Ph.D
FOUNDER SECRETARY

Dr. Manohar Karade
Ph.D., UGC-SET, MBA-HRM
M.A.-ENG,B.Ed, DIT
Incharge Director

**Dated: 07-12-2023**

# HEI Undertaking
# A.Y. 2022-23

4.1.1 The institute has adequate facilities for teaching- learning, viz., Classrooms, laboratories, computing equipment etc.

| Ground Floor | | | |
|---|---|---|---|
| **Room No.** | **Types of Room** | **Area Required by AICTE (Sqm)** | **Area Available (Sqm)** |
| 102 | Boys Common Room | 75 | 85 |
| 103 | Toilet For Gents (Ph. Ch.) | Adequate | 15.5 |
| 112 | Class Room - Finance | 66 | 77.52 |
| 105 | Sick Room | 10 | 10 |
| 106 | ED Cell | NA | 17.7 |
| 107 | Library & Reading Room | 100 | 122.25 |
| 101 | TPO- Placement Office | 30 | 42.96 |
| 113 | R & D Cell | 0 | 18.98 |
| 104 | Class Room - Marketing | 66 | 76 |
| 114 | Toilet For Ladies (Ph.Ch.) | Adequate | 15.5 |
| 115 | Girls Common Room | 75 | 84.8 |
| 116 | Tutorial Room - HR | 33 | 42.5 |
| 110 | Department Office (HOD) Cabin) | 20 | 30 |
| 108 | Exam Control Office | 30 | 30 |
| 109 | Pantry for Staff | 10 | 10 |
| 111 | Faculty Room | 5 Sqm each | 53 |
| | Cafeteria | 150 | 150 |

JSPM's Jayawantrao Sawant Institute of Management & Research Hadapsar Pune - 411 028

Dr. Manohar Karade
DIRECTOR
J. S. P. M.'S
Jayawantrao Sawant Institute
Of Management & Research
Hadapsar, Pune - 411 028

Director

| First Floor | | | |
|---|---|---|---|
| **Room No.** | **Types of Room** | **Area Required by AICTE (Sqm)** | **Area Available (Sqm)** |
| 202 | Board Room | 20 | 32.07 |
| 203 | Director Office/ Cabin | 30 | 63.08 |
| 204 | Toilet for Gents | Adequate | 15.5 |
| 205 | Class Room - Div. A | 66 | 79.3 |
| 206 | Computer Centre | 150 | 155.8 |
| 207 | Seminar Hall | 132 | 149.8 |
| 208 | IQAC Office | NA | 15.08 |
| 210 | Toilet for Ladies | Adequate | 15.5 |
| 211/201 | Office all Inclusive, NAAC Office | 150 | 160.3 |
| 209 | Class Room - Div. B | 66 | 70.2 |

| Second Floor | | | |
|---|---|---|---|
| **Room No.** | **Types of Room** | **Area Required by AICTE (Sqm)** | **Area Available (Sqm)** |
| 301 | Sports Room | NA | 64.5 |
| 306 | Central Store | 30 | 121 |
| 305 | Security & Maintenance (10+10) | 20 | 28.4 |
| 304 | Additional Reading Room | NA | 79.3 |
| 307 | Multipurpose Hall & Cultural Hall | NA | 121.9 |
| 308A/B | Stationary Store & Reprography & Housekeeping | 20 | 28.4 |
| 303 | Toilet for Gents | NA | 15.5 |
| 310 | Toilet for Ladies | NA | 15.5 |

JSPM's Jayawantrao Sawant Institute of Management & Research Hadapsar Pune - 411 028

Dr. Manohar Karade
Director

DIRECTOR
J. S. P. M.'S
Jayawantrao Sawant Institute
Of Management & Research
Hadapsar, Pune - 411 028